



MUIR

Ottimo
ceramiche



MUIR a contemporary elongated subway tile that visually enhances any space. Its handcrafted appearance and glossy finish add color and brightness to any environment.

Perfect for design. The fluted design makes it an ideal choice for various design projects




Muir Mint

Ottimo
ceramics




Muir Light Blue

Ottimo



Muir Forest Green

Ottimo
ceramica




Muir Navy


Ottimo
ceramics

MUIR Wall Tile


2x17 Glazed Ceramic




MUR10 Muir Off White



MUR12 Muir Clay




MUR13 Muir Navy



MUR15 Muir Forest




MUR17 Muir Light Blue




MUR18 Muir Mint

MUIR DECO Wall Tile


2x17 Glazed Ceramic




MUR10D Muir Off White Deco




MUR12 Muir Clay Deco




MUR13D Muir Navy Deco



MUR15D Muir Forest Deco



MUR13D Muir Navy Deco



MUR18D Muir Mint Deco



SPECIFICATIONS

Color	Item	Tile Size	Thickness	Finish	Edge
Muir					
Off White	MUR _{I0}	2.11" x 16.9"	8mm	Glossy	Pressed
Clay	MUR _{I2}				
Navy	MUR _{I3}				
Forest Green	MUR _{I5}				
Light Blue	MUR _{I7}				
Mint	MUR _{I8}				
Muir Deco					
Off White Deco	MUR _{I0D}	2.11" x 16.9"	8mm	Glossy	Pressed
Clay Deco	MUR _{I2D}				
Navy Deco	MUR _{I3D}				
Forest Green Deco	MUR _{I5D}				
Light Blue Deco	MUR _{I7D}				
Mint Deco	MUR _{I8D}				

APPLICATIONS

	Floors	Walls	Backsplash	Pools/Spas
Residential		•	•	
Commercial		•	•	

TEST RESULTS

DCOF Rating ≥0.42	PEI Rating N/A	Water Absorption ≤20%	Breaking Strength ≥125 lbf	Scratch Resistance 3	Chemical Resistant Unaffected	Frost Resistant Resistant
-------------------------	----------------------	-----------------------------	----------------------------------	----------------------------	-------------------------------------	---------------------------------

PACKAGING

Size (Nominal)	Pcs/Box	Sqft/Box	Box/Pallet	Sqft/Pallet	Lbs/Box	Lbs/Pallet
2x17	40	9.9	70	693	27.56	1,929.2