



MATERIAL	MARBLE	FORMAT	TEXTURE TILE
ORIGIN	CHINA	FINISH	FENCE
COLOR	LIGHT GREY, MEDIUM GREY, WHITE	VARIATION	LOW
		UOM	SF
DIMENSION	PART NUMBERS	SF – PCS/ CARTON	SF – BOXES/ CRATE
6 X 24 X 3/8	MARRAVWC0624FE	10 SF – 10 PCS	360 SF – 36 BOXES
FENCE	VERTICAL GROOVE LINES		
HORIZON	HORIZONTAL GROOVE LINES		

RECOMMENDATION

RAVELLO TEXTURE TILES ARE DISTINGUISHED BY THEIR GROOVED LINES, WHICH CAN BE ORIENTED VERTICALLY OR HORIZONTALLY. THESE UNIDIRECTIONAL LINES ARE ENGINEERED TO BE INSTALLED FOLLOWING A SPECIFIED GROOVE DIRECTION, ENSURING DYNAMIC LIGHT AND SHADOW EFFECTS. ADHERING TO THE RECOMMENDED INSTALLATION ORIENTATION IS CRUCIAL, AS ANY DEVIATION WILL LEAD TO NOTICEABLE INCONSISTENCIES IN TEXTURE AND OVERALL AESTHETIC.

APPLICATIONS

RESIDENTIAL, COMMERCIAL

COMMERCIAL, RESIDENTIAL, EXTERIOR, INTERIOR, CLADDING, ACCENT WALLS, FIREPLACE, FAÇADE, PILLARS, LANDSCAPE

WARNING: READ PRIOR TO INSTALLATION:

Natural stones are products of nature and are prone to variations in color, texture, shading and veining that may differ from displays. Variations are not considered flaws as no two pieces of stone are alike, Prior to installation, ensure enough material, including waste is purchased for the entire project. Mix product from various cartons, and lay out all tiles and coordinating pieces to ensure optimal blending prior to installation. Natural stone products should be sealed prior to grouting. NO CLAIMS WILL BE ACCEPTED AFTER THE MATERIAL HAS BEEN INSTALLED



MATERIAL	MARBLE	FORMAT	TEXTURE TILE
ORIGIN	CHINA	FINISH	HORIZON
COLOR	LIGHT GREY, MEDIUM GREY, WHITE	VARIATION	LOW
		UOM	SF

DIMENSION	PART NUMBERS	SF – PCS/ CARTON	SF – BOXES/ CRATE
12 X 24 X 3/8	MARRAVWC1224HO	10 SF – 5 PCS	360 SF – 36 BOXES

FENCE	VERTICAL GROOVE LINES
HORIZON	HORIZONTAL GROOVE LINES

RECOMMENDATION

RAVELLO TEXTURE TILES ARE DISTINGUISHED BY THEIR GROOVED LINES, WHICH CAN BE ORIENTED VERTICALLY OR HORIZONTALLY. THESE UNIDIRECTIONAL LINES ARE ENGINEERED TO BE INSTALLED FOLLOWING A SPECIFIED GROOVE DIRECTION, ENSURING DYNAMIC LIGHT AND SHADOW EFFECTS. ADHERING TO THE RECOMMENDED INSTALLATION ORIENTATION IS CRUCIAL, AS ANY DEVIATION WILL LEAD TO NOTICEABLE INCONSISTENCIES IN TEXTURE AND OVERALL AESTHETIC.

APPLICATIONS

RESIDENTIAL, COMMERCIAL

COMMERCIAL, RESIDENTIAL, EXTERIOR, INTERIOR, CLADDING, ACCENT WALLS, FIREPLACE, FAÇADE, PILLARS, LANDSCAPE

WARNING: READ PRIOR TO INSTALLATION:

Natural stones are products of nature and are prone to variations in color, texture, shading and veining that may differ from displays. Variations are not considered flaws as no two pieces of stone are alike, Prior to installation, ensure enough material, including waste is purchased for the entire project. Mix product from various cartons, and lay out all tiles and coordinating pieces to ensure optimal blending prior to installation. Natural stone products should be sealed prior to grouting. NO CLAIMS WILL BE ACCEPTED AFTER THE MATERIAL HAS BEEN INSTALLED



MATERIAL	MARBLE	FORMAT	TEXTURE TILE
ORIGIN	CHINA	FINISH	HORIZON
COLOR	LIGHT GREY, MEDIUM GREY, WHITE	VARIATION	LOW
		UOM	SF

DIMENSION	PART NUMBERS	SF – PCS/ CARTON	SF – BOXES/ CRATE
18 X 36 X 3/8	MARRAVWC1836HO	18 SF – 4 PCS	360 SF – 20 BOXES

FENCE	VERTICAL GROOVE LINES
HORIZON	HORIZONTAL GROOVE LINES

RECOMMENDATION

RAVELLO TEXTURE TILES ARE DISTINGUISHED BY THEIR GROOVED LINES, WHICH CAN BE ORIENTED VERTICALLY OR HORIZONTALLY. THESE UNIDIRECTIONAL LINES ARE ENGINEERED TO BE INSTALLED FOLLOWING A SPECIFIED GROOVE DIRECTION, ENSURING DYNAMIC LIGHT AND SHADOW EFFECTS. ADHERING TO THE RECOMMENDED INSTALLATION ORIENTATION IS CRUCIAL, AS ANY DEVIATION WILL LEAD TO NOTICEABLE INCONSISTENCIES IN TEXTURE AND OVERALL AESTHETIC.

APPLICATIONS

RESIDENTIAL, COMMERCIAL

COMMERCIAL, RESIDENTIAL, EXTERIOR, INTERIOR, CLADDING, ACCENT WALLS, FIREPLACE, FAÇADE, PILLARS, LANDSCAPE

WARNING: READ PRIOR TO INSTALLATION:

Natural stones are products of nature and are prone to variations in color, texture, shading and veining that may differ from displays. Variations are not considered flaws as no two pieces of stone are alike, Prior to installation, ensure enough material, including waste is purchased for the entire project. Mix product from various cartons, and lay out all tiles and coordinating pieces to ensure optimal blending prior to installation. Natural stone products should be sealed prior to grouting. NO CLAIMS WILL BE ACCEPTED AFTER THE MATERIAL HAS BEEN INSTALLED